PC2041A Page: 1

PRODUCT NAME: PC2041A HMIS CODES:

TRADE NAME: KEY TOUGH-SEAL 41 PART A 0 = NONE ... 4 = EXTREME

HEALTH : 2

CHRONIC INDICATOR:

FIRE : 1

REACTIVITY: 0

PERSONAL PROTECTION: Bnpq

MANUFACTURER'S NAME: Key Polymer Corporation

ADDRESS : 17 Shepard St.

Lawrence, Ma. 01843

CHEMTREC EMERGENCY PHONE: (800) 424-9300 DATE PRINTED : 7/10/2013

INFORMATION PHONE : (978) 683-9411

CHEMTREC INTERNATIONAL PHONE: (703) 527-3887 DATE LAST REVISED: July 2013

====== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION ========

VAPOR PRESSURE WEIGHT PERCENT REPORTABLE COMPONENTS CAS NUMBER mm Hg @ TEMP \_\_\_\_\_\_ 4,4'-ISOPROPYLIDENEDIPHENOL-EPICHLORHYDRIN COPOLYMER 25068-38-6 1 180C 15 to 50 Not Established ISODECYL DIPHENYL PHOSPHATE 29761-21-5 5 to 15 MIXTURE 0.75 20°C 1.0 to 5.0 ORGANO TIN COMPOUND DISSOLVED IN ORGANIC SOLVENT OSHA Z1, PEL, ACGIH, TWA 0.1 mg/m3 as Sn STEL (skin), ACGIH 0.2 mg/m3 as Sn ACGIH, SKIN\_DES Can be absorbed through the skin.

SARA 313: No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present.

======== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS =========

APPEARANCE AND ODOR: Tan Liquid No odor

SOLIDS IN WEIGHT %: No Data

WEIGHT PER GALLON: 12.3 lb/gl SPECIFIC GRAVITY (H2O=1): 1.477

BOILING RANGE: >200øC EVAPORATION RATE: No Data VAPOR DENSITY: No Data

OSHA FLAMMABILITY CLASS: Not regulated, Class IIIB

FLASH POINT: >390øF METHOD USED: CC

FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER (LEL): No Data UPPER (UEL): No Data

EXTINGUISHING MEDIA: Foam, Carbon Dioxide or Dry Chemical

SPECIAL FIREFIGHTING PROCEDURES: Wear positive pressure self-contained NOISH approved breathing equipment.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Sealed container may rupture. Keep cool

PC2041A Page: 2

with water.

SECTION V - REACTIVITY DATA =

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: Mixture with or exposure to incompatible materials (see

below.) Heat and Direct Sunlight Moisture

INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizing agents Strong acids

Strong bases Amines

HAZARDOUS DECOMPOSITION BYPRODUCTS: Carbon monoxide Carbon dioxide

Aldehydes Oxides of sulfur Aromatic hydrocarbons Oxides of phosphorous Acids

HEALTH HAZARDS (ACUTE AND CHRONIC): Liquid contact with eyes or skin may cause irritation. Vapors/mists may cause eye and respiratory irritation. Overexposure to liquid may cause sensitization, dermatitis and allergic skin

reaction.

EMERGENCY AND FIRST AID PROCEDURES:

INHALATION: Remove to fresh air.

EYE CONTACT: Flush with water for 15 minutes with lids open. Seek

medical attention.

SKIN CONTACT: Remove contaminated clothing. Wash affected area with

soap and water.

**CARCINOGENICS:** 

No carcinogenic substances as defined by IARC, NTP, or OSHA.

NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED:

No

====SECTION VII - PROCEDURES FOR SAFE HANDLING AND USE; SPILLS; DISPOSAL ======

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store and handle away from

heat, flames and oxidizing materials.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Ventilate area.

Spill area will be slippery. Contain spill. Recover as much as possible for reuse. Spread commercial absorbant over remainder and place into sealed

containers for disposal.

WASTE DISPOSAL METHOD: Dispose in accordance with local, state and federal

PC2041A Page: 3

regulations. Most states prohibit disposal of liquids in landfills.

OTHER PRECAUTIONS: As with all chemicals, good industrial hygiene and proper work habits should be observed.

======= SECTION VIII - PERSONAL PROTECTION RECOMMENDATIONS =========

RESPIRATORY PROTECTION: For confined areas or areas with poor ventilation, use an organic vapors cartridge type respirator.

VENTILATION: Mechanically exhaust vapors at point(s) of application. If applicable, maintain airborne contaminant levels of chemicals below their recommended TLV's. (See section II)

PROTECTIVE GLOVES: Impervious.

EYE PROTECTION: Splash Goggles.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: No Data

WORK/HYGIENIC PRACTICES: Wash thoroughly before eating or smoking.

It is a violation of federal law to use this product in a manner inconsistent with its labeling. The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof.

Since the use of this information, these opinions and the conditions of use of the product are not within the control of the Key Polymer Company, it is the user's obligation to determine the conditions of safe use of the product.

TSCA: Unless listed elsewhere in this section, all components of this product are listed on the TSCA Inventory or are exempt.

TRANSPORTATION INFORMATION:

US DOT - Not Regulated IMDG - Not Regulated ICAO/IATA I,II - Not Regulated

The following chemicals may be contained in this product in de minimis amounts not required for listing in section II. However, these chemicals do appear on some State Right-To-Know (RTK) and/or other hazardous substance lists. Please check your state's listings for more information:

Triphenyl phosphate CAS 115-86-6 Phenyl glycidyl ether CAS 122-60-1 Phosphoric acid CAS 7664-38-2

# MATERIAL SAFETY DATA SHEET

PC2041B Page: 1

PRODUCT NAME: PC2041B HMIS CODES:

TRADE NAME: TOUGH-SEAL 41 PART B 0 = NONE ... 4 = EXTREME

HEALTH : 2

CHRONIC INDICATOR:

FIRE : 1

REACTIVITY: 0

PERSONAL PROTECTION: B

MANUFACTURER'S NAME: Key Polymer Corporation

ADDRESS : 17 Shepard St.

Lawrence, Ma. 01843

CHEMTREC EMERGENCY PHONE: (800) 424-9300 DATE PRINTED : 5/30/2013

INFORMATION PHONE : (978) 683-9411

CHEMTREC INTERNATIONAL PHONE: (703) 527-3887 DATE LAST REVISED: May 2013

====== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION ========

\_\_\_\_\_\_

REPORTABLE COMPONENTS CAS NUMBER mm Hg @ TEMP PERCENT

Tris(2-chloro-1-methylethyl)phosphate 13674-84-5 5 to 15
TRIS 2,4,6 (DIMETHYLAMINOETHYL) PHENOL 90-72-2 1.0 to 5.0

SARA 313: No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present.

======== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS =========

APPEARANCE AND ODOR: Black Liquid No odor

SOLIDS IN WEIGHT %: 100

WEIGHT PER GALLON: 11.9 lb/gl SPECIFIC GRAVITY (H2O=1): 1.429

BOILING RANGE: >212øF EVAPORATION RATE: No Data

VAPOR DENSITY: N/A

========= SECTION IV - FIRE AND EXPLOSION HAZARD DATA ==========

OSHA FLAMMABILITY CLASS: Not regulated, Class IIIB

FLASH POINT: >390øF METHOD USED: No Data

FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER (LEL): No Data UPPER (UEL): No Data

EXTINGUISHING MEDIA: Foam, Carbon Dioxide or Dry Chemical

SPECIAL FIREFIGHTING PROCEDURES: Wear positive pressure self-contained NOISH approved breathing equipment.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Sealed container may rupture. Keep cool with water.

#### MATERIAL SAFETY DATA SHEET

PC2041B Page: 2

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: Mixture with or exposure to incompatible materials (see

below.) Excessive Moisture. Avoid heat, sparks and flames.

INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizing agents Strong acids Water Will cause some corrosion to copper alloys and aluminum. Organic acids

Mineral Acids

HAZARDOUS DECOMPOSITION BYPRODUCTS: Carbon monoxide Carbon dioxide Aldehydes Oxides of nitrogen Various hydrocarbons HCl Oxides of phosphorous Acids Unknown Hydrocarbons acrid smoke Burning my produce toxic combustion products. Halogenated compounds

====== SECTION VI - HEALTH HAZARD DATA =======

HEALTH HAZARDS (ACUTE AND CHRONIC): Vapors/mists may cause eye and respiratory irritation. Liquid contact is corrosive to the skin or eyes. Severe damage or skin sensitization may occur.

### EMERGENCY AND FIRST AID PROCEDURES:

INHALATION: Remove to fresh air.

EYE CONTACT: Flush with water for 15 minutes with lids open. Seek medical attention.

SKIN CONTACT: Remove contaminated clothing. Wash affected area with soap and water.

# **CARCINOGENICS:**

No carcinogenic substances as defined by IARC, NTP, or OSHA.

OSHA REGULATED: NTP CARCINOGEN: No IARC MONOGRAPHS: No

No

====SECTION VII - PROCEDURES FOR SAFE HANDLING AND USE; SPILLS; DISPOSAL ======

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in tightly closed containers to prevent moisture contamination. Before resealing it is best to blanket the headspace of the container with inert gas or very dry air.

If moisture contamination is suspected, do not mix with activator, as severe foaming may occur.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Ventilate area. Spill area will be slippery. Contain spill. Recover as much as possible for reuse. Spread commercial absorbant over remainder and place into sealed containers for disposal.

PC2041B Page: 3

WASTE DISPOSAL METHOD: Dispose in accordance with local, state and federal regulations. Most states prohibit disposal of liquids in landfills.

OTHER PRECAUTIONS: As with all chemicals, good industrial hygiene and proper work habits should be observed.

======= SECTION VIII - PERSONAL PROTECTION RECOMMENDATIONS ========

## RESPIRATORY PROTECTION:

Usually not required. However, for confined areas or areas with poor ventilation, use an organic vapors cartridge type respirator.

**VENTILATION:** Mechanically exhaust vapors at point(s) of application. If applicable, maintain airborne contaminant levels of chemicals below their recommended TLV's. (See section II)

PROTECTIVE GLOVES: Impervious.

EYE PROTECTION: Splash Goggles.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: No Data

WORK/HYGIENIC PRACTICES: Wash thoroughly before eating or smoking.

It is a violation of federal law to use this product in a manner inconsistent with its labeling. The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof.

Since the use of this information, these opinions and the conditions of use of the product are not within the control of the Key Polymer Company, it is the user's obligation to determine the conditions of safe use of the product.

 ${\tt TSCA:}$  Unless listed elsewhere in this section, all components of this product are listed on the  ${\tt TSCA}$  Inventory or are exempt.

TRANSPORTATION INFORMATION:

US DOT - Not Regulated IMDG - Not Regulated ICAO/IATA I,II - Not Regulated

The following chemicals may be contained in this product in de minimis amounts not required for listing in section II. However, these chemicals do appear on some State Right-To-Know (RTK) and/or other hazardous substance lists. Please check your state's listings for more information:

# 

PC2041B

Methanol CAS 67-56-1

Page: 4