



17 Shepard Street • Lawrence, MA 01843 USA
+1.978.683.9411

www.keypolymer.com

Issue Date 20-Aug-2015

Revision Date 20-Aug-2015

Version 1

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name KEY PC2023/2024B-00

Other Means of Identification

Product Code PC2023/2024B-00

Product Technology Epoxy B side

Document Tough-Seal 23/24B-00

None

Curing chemical. FOR INDUSTRIAL USE ONLY.

Restrictions on use: Do not use this product for any use other than intended

Manufacturer Address

Key Polymer Corporation

17 Shepard Street

Lawrence, MA 01843, USA

Company Phone Number 978-683-9411 (8AM - 5PM EST) (M-F)

Emergency Telephone Chemtrec 1-800-424-9300 (24 Hours)

Chemtrec International Phone +1 703 527-3887

2. Hazards Identification

Classification

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS). This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4

EMERGENCY OVERVIEW

WARNING

Hazard Statements

Harmful if swallowed

Harmful in contact with skin

**Appearance** Opaque Off white**Physical State** Liquid**Odor** None**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Wear protective gloves, protective clothing, eye protection, face protection

Precautionary Statements - Response

Call a POISON CENTER or doctor/physician if you feel unwell
 IF ON SKIN: Wash with plenty of soap and water
 Call a POISON CENTER or doctor/physician if you feel unwell
 Take off contaminated clothing and wash before reuse
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
 Rinse mouth

Precautionary Statements - Storage

Please see Product Information Bulletin (PIB) for shelf life and storage information.

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local/regional/international regulations

Hazards Not Otherwise Classified (HNOC)**Other Information**

92.2325% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/Information on Ingredients

Chemical Family Epoxy B Side

Chemical Name	CAS No	Weight-%	Trade secret
Calcium carbonate	1317-65-3	20 - 40	*
Proprietary amine curing agent	Proprietary	5 - 10	*
Silicon dioxide	14808-60-7	0.1 - 0.5	*

Calcium carbonate, when encapsulated in a polymer, is not expected to pose a respirable health hazard when processed under normal conditions of use.

* The exact percentage (concentration) of composition may have been withheld as a trade secret.

4. First Aid Measures

FIRST AID MEASURES**General Advice**

Use first aid treatment according to the nature of the injury. For further assistance, contact your local Poison Control Center. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician if irritation persists.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. If symptoms persist, call a physician. Wash contaminated clothing before reuse.

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. Administer oxygen if breathing is difficult. If symptoms persist, call a physician.

Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a physician or Poison Control Center immediately.

Self-Protection of the First Aider

First Aider: Pay attention to self-protection. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Most Important Symptoms and Effects, Both Acute and Delayed**Symptoms**

May cause allergic skin reaction.

Indication of Any Immediate Medical Attention and Special Treatment Needed**Note to Physicians**

Treat symptomatically.

5. Fire-Fighting Measures

Suitable Extinguishing Media

Foam, Dry Chemical, Carbon Dioxide (CO₂).

Unsuitable Extinguishing Media

Water reactive.

Specific Hazards Arising From the Chemical

Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration. Substance will react with water (some violently) releasing flammable, toxic or corrosive gases and runoff. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water ways. Dike for water control.

Hazardous Combustion Products

Irritating or toxic substances may be emitted upon burning, combustion or decomposition. See Section 10 Hazardous Decomposition Products for additional information.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures**Personal Precautions**

Ensure adequate ventilation, especially in confined areas.

Other Information

Use personal protective equipment as required.

For Emergency Responders

Use personal protective equipment as required.

Environmental Precautions

Environmental Precautions Do not allow into any sewer, on the ground or into any body of water. See Section 12 for additional Ecological Information.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and Storage

Precautions for Safe Handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions Please see Product Information Bulletin (PIB) for shelf life and storage information.

Incompatible Materials Acids, Bases, Strong oxidizing agents, Water, Copper, Aluminum, Zinc.

8. Exposure Controls/Personal Protection

Control Parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium carbonate 1317-65-3	-	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Silicon dioxide 14808-60-7	TWA: 0.025 mg/m ³ respirable fraction	(vacated) TWA: 0.1 mg/m ³ respirable dust : (30)/(%SiO ₂ + 2) mg/m ³ TWA total dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust

Appropriate Engineering Controls

Engineering Controls Showers
Eyewash stations
Ventilation systems

Individual Protection Measures, Such As Personal Protective Equipment

Eye/Face Protection Splash Goggles. Avoid contact with eyes.

Skin and Body Protection Wear protective gloves and protective clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Physical State	Liquid	Odor	None
Appearance	Opaque	Odor Threshold	No information available
Color	Off white		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No information available	
Melting Point/Freezing Point	No information available	
Boiling Point/Boiling Range	> 100 °C	
Flash Point	133 °C	Setaflash Closed Tester
Evaporation Rate	No information available	
Flammability (Solid, Gas)	No information available	
Flammability Limits in Air		
Upper Flammability Limits	No information available	
Lower Flammability Limit	No information available	
Vapor Pressure	No information available	
Vapor Density	No information available	
Specific Gravity	1.28	
Water Solubility	Slightly soluble	
Solubility in Other Solvents	No information available	
Partition Coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Kinematic Viscosity	78125 cSt	
Dynamic Viscosity	100000 cps @ 25° C	
Explosive Properties	Not an explosive	
Oxidizing Properties	No information available	

Other Information

Softening Point	No information available
Molecular Weight	No information available
VOC Content (%)	No information available
Density	10.7 pounds/gallon
Bulk Density	No information available

10. Stability and Reactivity

Reactivity

No data available

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children. Avoid moisture. Incompatible Materials.

Incompatible Materials

Acids, Bases, Strong oxidizing agents, Water, Copper, Aluminum, Zinc.

Hazardous Decomposition Products

Carbon oxides, Nitrogen oxides (NOx), Nitric acid, Ammonia, May emit toxic fumes under fire conditions.

11. Toxicological Information

Information on Likely Routes of Exposure

Product Information	The product has not been tested.
Inhalation	Remove to fresh air. Inhalation of vapors in high concentration may cause irritation of

respiratory system.

Eye Contact

Avoid contact with eyes. Contact with eyes may cause irritation.

Skin Contact

Avoid contact with skin. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Ingestion

Do NOT taste or swallow. Not an expected route of exposure. Harmful if swallowed.

Component Information

Caution - This preparation contains a substance not yet fully tested

Chemical Name	Oral LD50 (Rat)	Dermal LD50 (Rabbit)	Inhalation LC50
Proprietary amine curing agent	= 1000 mg/kg (Rat)	= 1280 mg/kg (Rat)	-
Silicon dioxide 14808-60-7	= 500 mg/kg (Rat)	-	-

Information on toxicological effects

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation**

Repeated or prolonged contact may cause skin irritation and dermatitis.

Irritation

May cause skin and eye irritation. May cause irritation of respiratory tract.

Sensitization

No information available.

Germ Cell Mutagenicity

No information available.

Carcinogenicity

Silicon Dioxide (CAS 14808-60-7) is a naturally occurring substance that poses low respirable carcinogen risk when encapsulated in a polymeric liquid. If sanding or grinding finished product, wear appropriate personal protective equipment for respirable dust hazards.

Chemical Name	ACGIH	IARC	NTP	OSHA
Silicon dioxide 14808-60-7	A2	Group 1	Known	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity

No information available.

STOT - Single Exposure

No information available.

STOT - Repeated Exposure

No information available.

Aspiration Hazard

No information available.

Numerical Measures of Toxicity - Product Information**Unknown Acute Toxicity**

92.2325% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1333 mg/kg

ATEmix (dermal) 1707 mg/kg

12. Ecological Information**Ecotoxicity**

No information available

99.9517% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and Degradability

No information available

Other Adverse Effects

No information available

Ozone Depletion Potential (ODP) No information available**13. Disposal Considerations****Waste Treatment Methods**

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Do not reuse container.

14. Transport Information

DOT	Not regulated
Proper Shipping Name	Non-Regulated Adhesive, class 60
ICAO (air)	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. Regulatory Information**International Inventories**

TSCA	All components of this product are either exempt or included on the TSCA Inventory in compliance with the Toxic Substances Control Act.
EINECS	All components are listed or exempted.
ELINCS	Complies
IECSC	All components are listed or exempted.
AICS	All components are listed or exempted.

Legend:*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**IECSC - China Inventory of Existing Chemical Substances**AICS - Australian Inventory of Chemical Substances***US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No

Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

The following chemicals may be contained in this product in de minimis amounts not required for listing in section 3. However, these chemicals do appear on some state Right-to-Know (RTK) and/or other hazardous substance lists. Please check your state's listings for more information.

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Silicon dioxide - 14808-60-7	Carcinogen
Methanol - 67-56-1	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Calcium carbonate 1317-65-3	X	X	X
Silicon dioxide 14808-60-7	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other Information

HMIS Health Hazards 2 Flammability 1 Physical Hazards 0 Personal Protection X

Prepared by Key Polymer Corp Compliance
Issue Date 20-Aug-2015
Revision Date 20-Aug-2015

Revision note

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet