

SAFETY DATA SHEET



17 Shepard Street • Lawrence, MA 01843 USA +1.978.683.9411

www.keypolymer.com

Issuing Date 25-Nov-2014 Revision Date 03-May-2023

Revision Number 1

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product identifier

Product Name KEY PC2042B

Other means of identification

Product Code(s)
Product Technology
Document
PC2042B
Epoxy B side
Tough-Seal 42B

None

Curing chemical. FOR INDUSTRIAL USE ONLY.

Restrictions on use: Do not use this product for any use other than intended

Manufacturer Address Key Polymer Holdings, LLC 17 Shepard Street

Lawrence, MA 01843, USA

Company Phone Number 978-683-9411 (8AM - 5PM EST) (M-F)

Emergency Telephone Chemtrec 1-800-424-9300 (24 Hours) CCN 12410

Chemtrec International Phone +1 703 527-3887

2. Hazards Identification

Classification

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 2

Emergency Overview

DANG	ER
------	----

Hazard statements

Causes skin irritation Causes serious eye damage Suspected of causing cancer



The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Opaque Black Physical state Liquid Odor None

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

Other Information

3. Composition/Information on Ingredients

Substance

Chemical Family Epoxy B Side

Chemical name	CAS No.	Weight-%	Trade secret
Tris(dimethylaminomethyl)phenol	90-72-2	3 - 7	*
Carbon Black	1333-86-4	0.1 - 0.9	*

^{*} The exact percentage (concentration) of composition may have been withheld as a trade secret.

4. First Aid Measures

Description of first aid measures

General advice Use first aid treatment according to the nature of the injury. For further assistance, contact

your local Poison Control Center. In case of accident or unwellness, seek medical advice

immediately (show directions for use or safety data sheet if possible).

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. If symptoms persist, call a physician. Wash contaminated clothing

before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If breathing is irregular or stopped, administer artificial respiration. Administer

oxygen if breathing is difficult. If symptoms persist, call a physician.

Ingestion IF SWALLOWED:. Rinse mouth. Do NOT induce vomiting. Call a physician or Poison

Control Center immediately.

a physician if irritation persists.

Self-protection of the first aider First Aider: Pay attention to self-protection. Ensure that medical personnel are aware of the

material(s) involved and take precautions to protect themselves.

Most important symptoms and effects, both acute and delayed

Symptoms Irritation. Pre-existing skin problems may be aggravated by prolonged or repeated contact.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. Fire-Fighting Measures

Suitable Extinguishing Media

Foam, Dry Chemical, Carbon Dioxide (CO2).

Unsuitable extinguishing media Water reactive.

Specific hazards arising from the chemical

Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration. Substance will react with water (some violently) releasing flammable, toxic or corrosive gases and runoff. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water ways. Dike for water control.

Hazardous combustion products

Irritating or toxic substances may be emitted upon burning, combustion or decomposition. See Section 10 Hazardous Decomposition Products for additional information.

Explosion data

Sensitivity to Mechanical Impact None. **Sensitivity to Static Discharge** None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Other Information Use personal protective equipment as required.

For Emergency Responders Use personal protective equipment as required.

Environmental precautions

Environmental precautionsDo not allow into any sewer, on the ground or into any body of water. See Section 12 for

additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store and handle

away from heat, flames and oxidizing materials.

Incompatible materials Acids, Bases, Strong oxidizing agents, Water, Copper, Aluminum, Zinc.

8. Exposure Controls/Personal Protection

Control parameters

Exposure LimitsThe following ingredients are the only ingredients of the product above the cut-off level (or

level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other

recommended limit. At this time, the other relevant constituents have no known exposure

limits from the sources listed here

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Carbon Black	TWA: 3 mg/m³ inhalable	TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³
1333-86-4	particulate matter	(vacated) TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³
			TWA: 0.1 mg/m³ Carbon black in
			presence of Polycyclic aromatic
			hydrocarbons PAH

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Splash Goggles. Avoid contact with eyes.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state Liquid

Remarks • Method

Setaflash Closed Tester

AppearanceOpaqueOdorNoneColorBlackOdor thresholdN/A

Property Values

pH N/A
Melting point / freezing point N/A

Boiling point / boiling range > 100 °C

Flash point 150 °C

Evaporation rate N/A Flammability (solid, gas) N/A

Flammability Limit in Air

Upper flammability limit: N/A Lower flammability limit: N/A Vapor pressure N/A Vapor density N/A Relative density 1.14 Water solubility Negligible Solubility in other solvents N/A Partition coefficient N/A **Autoignition temperature** N/A

Partition coefficient N/A
Autoignition temperature N/A
Decomposition temperature N/A
Kinematic viscosity N/A

Dynamic viscosity 25000 cps @ 25° C **Explosive properties** Not an explosive

Oxidizing properties N/A

Other Information

Softening point N/A
Molecular weight N/A
VOC Content (%) N/A

Liquid Density 9.5 pounds/gallon

Bulk density N/A

10. Stability and Reactivity

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Keep out of reach of children. Avoid moisture. Incompatible materials.

Incompatible materials

Acids, Bases, Strong oxidizing agents, Water, Copper, Aluminum, Zinc.

Hazardous decomposition products

Carbon oxides, Nitrogen oxides (NOx), Aldehydes, Calcium oxides, Phosphorous oxides, Sulfur oxides, Nitric acid, Ammonia, Formaldehyde, Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. Toxicological Information

Information on likely routes of exposure

Product Information The product has not been tested.

Inhalation Remove to fresh air.

Eye contact Avoid contact with eyes. May cause irritation.

Skin contact Avoid contact with skin.

Ingestion Do NOT taste or swallow. Not an expected route of exposure. May be harmful if swallowed.

Component InformationCaution - This preparation contains a substance not vet fully tested

	Caation into proparation	containe a casciance not joi ian	<i>y</i> 100100
Chemical name	ATEmix (oral)	ATEmix (dermal)	Inhalation LC50
Tris(dimethylaminomethyl)phenol 90-72-2	= 1200 mg/kg(Rat)	= 1280 mg/kg(Rat)	-
Carbon Black 1333-86-4	> 15400 mg/kg (Rat)	-	> 4.6 mg/m³ (Rat) 4 h

Information on toxicological effects

N/A.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Repeated or prolonged contact may cause skin irritation and dermatitis.

Irritation May cause skin and eye irritation.

Sensitization N/A.
Germ cell mutagenicity N/A.

Carbon Black (CAS 1333-86-4) poses extremely low respirable carcinogenic risk when

encapsulated in a polymeric liquid. If sanding or grinding cured product, wear appropriate

personal protective equipment for respirable dust hazards.

Chemical name	ACGIH	IARC	NTP	OSHA
Carbon Black	A3	Group 2B		X
1333-86-4				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity N/A.
STOT - single exposure N/A.
STOT - repeated exposure N/A.
Aspiration hazard N/A.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg

12. Ecological Information

Ecotoxicity

Harmful to aquatic life with long lasting effects

0.00927 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

N/A

Other adverse effects

N/A

Ozone depletion potential (ODP) N/A

13. Disposal Considerations

Waste treatment methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Not regulated

Contaminated packaging Do not reuse container.

14. Transport Information

DOT Not regulated

Proper shipping name Non-Regulated Adhesive, class 60

ICAO (air) Not regulated

IATA Not regulated

15. Regulatory Information

International Inventories

TSCA All components of this product are either exempt or included on the TSCA Inventory in

compliance with the Toxic Substances Control Act.

DSL/NDSL Complies **EINECS/ELINCS** Complies

Legend:

IMDG

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health HazardNoChronic Health HazardNoFire HazardNoSudden Release of Pressure HazardNoReactive HazardNo

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and

Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

The following chemicals may be contained in this product in de minimis amounts not required for listing in section 3. However, these chemicals do appear on some state Right-to-Know (RTK) and/or other hazardous substance lists. Please check your state's listings for more information.

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Carbon Black - 1333-86-4	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Carbon Black	X	X	X
1333-86-4			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other Information

Prepared By Key Polymer Corp Compliance

Issuing Date25-Nov-2014Revision Date03-May-2023

Revision Note

N/A

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet